

Research Paper: Health Risk Management

Abhiraj,

Rohit Azad,

Vivek Kumar Singh,

Dhananjay Mahato,

Lakshay Choudhary

Department of Computer Science & Engineering

Chandigarh University

Mohali, Punjab

Abstract – This report contains all the details about the project Health Assistant. Now a days AI are replacing many jobs that are difficult for a human to manage and I believe Health Assistant also falls under the same. Health Assistant requires to monitor the patient 24x7, which is quite difficult for a human. We already have various devices that measure the heart rate, sleep, and exercises. These data will be useful when user is interacting with our health assistant. This project will create an assistant that will give advice and prescription to the user about their health. User can ask small query that do not require extreme expertise of the doctor. Good health can be achieved by maintaining good behaviors such as good health, night sleep, enough exercise and good nutrition. However the competitive environment nowadays prevent such good environment. Our assistant will be there to answer the queries about the users cause of irritation and ill health problem. Assistant will also provide necessary prescription and suggestion of doctor relevant to the cause. Virtual Assistants take care of patients' needs as well as maintain their health records. The demand for AI is increasing

rapidly in Health factors to maintain the big records. Our Virtual Assistant helps you by a user interface by which you talk it with your disease so that it understands your disease by your symptoms and provide you medicine for a specific disease, maintain your health record and perfect diet by machine learning algorithms also if you want it makes your appointment with the doctor your specific area by which you contact with your doctor. NLP makes an interface by which virtual Assistants work on human data. Health Assistant will provide you 24x7 service and gives you expert recommendation on your problem to make you feel happy.

I. INTRODUCTION

Client Identification/ Need of relevant contemporary issue

Let us start with the simple definition of the topic. Assistant mean a person who helps somebody in a more important position. If we talk about health assistants, he/she is a person who helps in monitoring the patient condition for the doctor. In this project this

health assistant will be a computer software that will monitor the various critical data of the patient that are required in order to prescribe any medicine. We can see with the recent incident of COVID-19, that the ratio of doctor and patient completely outmatch. There are less doctor and more patient, so to check patient individually and prescribe them medicine is very difficult task. Brookings.com also talked about the same problem back in 2020. Health assistant are very crucial in health sector and to match 1:1 ratio is almost impossible. In fig no 1.1 we can see the actual ratio of the doctor to patient and assume the pressure that doctor go through treating them. This is bad for both patient and doctors profession. In order for a person to maintain a healthy life style his/her health assistant must be there in the time of need, they must learn his/her needs, and who spends most of the time with person. This is impossible to pull out in today's crowded world.

Copy




Fig. 1.1: Doctor to Population ratio

II. LITERATURE REVIEW

Health care is one of the major field where we have seen huge transformation in previous year. Medical science are continuously doing review and development using AI to create an automated system that can identify the problem and give back the suggestion or solution. In today's world we can see almost everyone is suffered from some kind of disease, healthcare systems face growing demand for their services, rising costs and a workforce that is struggling to meet the needs of its patients. In order to extract relevant review from the published literature, a systematic literature search capturing medical chatbot-related work from the beginning of 1966 until 12/12/2019 was undertaken. Three meta-databases (i.e., IEEE, ACM, SpringerLink/(sub-)discipline "medicine & public health" and "Information Systems Applications (incl. Internet)" and the AIS basket of eight journals were searched resulting in 227 articles that met the inclusion criteria (abstract or title or keywords contains "chatbot" AND "health"). Taking a real world example we can see lots of rich people getting sudden heart attack and dying. Also we have some live examples of apple watch saving people around the globe floating in internet. This shows how AI can help manage your health needs, requirement and also saves your life. Looking back at the history we can see previous attempts on AI supported medical assistant getting better and better every day.

Copy

Timeline of the reported problem

1. In 1934, Dr. M. Mandal founded the first specialty school to train assistants in doctor's offices. By 1955, standardized procedures were required and the American Association of Medical Assistants (AAMA) was formed to standardize practices and provide certification.

Since most of the current research work on chatbots is related to technological development, there is an analysis of the different behavioral effects of chatbots. For example, Pereira and Díaz examine how chatbot providers are of particular interest in health through behavior change. This led to the discovery of the need for advertising regarding the social impact of chatbots. We also found MentalEase, a mobile app that uses NLP technology to not only provide chat service but also a handy box for managing mental health. By integrating psychological assessment tools into the chatbot interface alongside traditional treatments, it can help patients cope with mild anxiety and depression.

This can also overcome some psychological issues, such as waiting lists and geographic issues that prevent you from attending in-person meetings. A chatbot can be defined as a computer capable of intelligently responding to user input by understanding natural language using one or more NLP techniques. In this study, we discuss the use of NLP in psychology and conduct a comprehensive assessment of existing systems by comparing chatbot responses with a preliminary set of consumer-related health-related mental health issues.

2. In 1978, U.S. The Ministry of Health, Education and Welfare recognized medical services as health workers.

3. International Journal of Advanced Review of Computer and Communication Engineering ISO 3297:2007 Certified V

ol. 6, Issue 4, April 2017 Over the past few years, chatbots have played an important role in the human-machine interface. Chatbots usually have three modules: user interface, translator and knowledge base. Laven [6] defines a chatbot as a program that attempts to simulate a conversation in order to make people think that they are talking to another person, at least temporarily. Basically, a chatbot is a conversation tool that can use natural language to interact with users on a topic. There are many chatbots on the Internet that are used for education, customer service, education and entertainment. Popular chatbots are ALICE [2], SimSimi, and Cleverbot.

Derived from Extensible Markup Language (XML), Artificial Intelligence Markup Language (AIML) is used to create interactive user interfaces. AIML-based chatbots are renowned for their lightness, easy configuration, and low cost. AIML consists of data classes called AIML objects that describe the behavior of a computer program. In our article, we use program-o [1], an open source AIML engine written in PHP. Chatbot is an interpreter for AIML scripts.

The chatbot uses a MySQL database to store its content. Also, we store all AIML files in one file. When the user sends a message to the chatbot, a response is generated based on the response from AIML and sent back to the user. It can be installed directly on a local server under the GNU General Public License. Chatbots use the Internet using text, speech and emotion as input.

In this article, we are using text and speech as user input. The output/output script is useful because the user can check the input and recheck for any errors. However, providing text takes time. So the solution is to introduce the voice interface through

ough voice recognition technology. Thanks to this process, this chatbot application is able to communicate with the user.

In this article, we introduced a chatbot application on Android that has the ability to interact with users. The chatbot can answer questions entered by users in text and voice. For this, AIML is used with program. The chatbot can only answer questions whose answers are in the database. Therefore, to improve the experience of the chatbot, you can use Wikipedia, weather forecast, sports, news, government services, etc. We can add APIs.

In this case, users will be able to talk and interact with chatbots from any location.

Using APIs such as weather, sports, news and government services, chatbots will be able to answer questions outside of their record and now appear in the real world.

4. In 1961, the AAMA created a new Medical Assistant Certification Commission. MA certification has been slow, but over the next decade, more and more government agencies will use some MA certification.

It also gained international membership to the AAMA in 1976.5.2007 4th International Symposium on Applied Computational Intelligence and Informatics. Health affects all activities, and human specialists must be able to determine, in each disease situation in the patient, that treatment is necessary and what will change in the patient during treatment. But making medical decisions can be a very difficult task.

There are many applications in the field of artificial intelligence that try to help human experts come up with solutions. This article describes a set of expert methods developed to make some predictions about liver disease.

5. 11073-20601-2014/Cor 1-2015 - IEEE Health informatics-- Personal health communication Part 20601: Application profile-- Optimized Exchange Protocol - Revision 1. In the summary of the ISO/IEE E 11073 series communications equipment standards, this standard defines: personal A general framework for modeling the abstract nature of health information. in transport-independent transport syntax, which requires a connection between systems and provides the representative capabilities and services needed to perform communication tasks. This process is optimized for individual health needs and uses techniques and tools from all sources. This fix removes confusion and fixes invalid names and conditions defined in IEEE Std 11073-20601-2014 to improve use of the standard in interoperability.

6. Natural language processing in psychology using non-medical texts 2017 Authors communicate with others. People use words to express their actions, thoughts, feelings, hopes and expectations as well as explaining simple facts. Consumers then use information gathered from emails and other information from social media, for example, to determine what other people think that influences personal communication.

7. International Journal of Innovation Review in Computer Science and Technology (IJIRCT) Volume 6, Issue 3, May 2018. User interfaces that can be used for software applications include command line, graphical user interface (GUI), menu, form-based, language, etc. Mainstream user interfaces include GUI and web-based, but sometimes another user interface is needed. Chatbot-based conversational UIs fit into this space. 4 one.

Medical Chatbots International Journal of Computer Trends and Technology (IJCTT) –

Vol 60, Issue 1, June 2018. The main purpose of the program is to create a different experience between users and doctors to instantly answer users' questions. Most people today are addicted to the internet but they don't care about their own health. They avoid going to the hospital for minor problems that may become serious in the future. Setting up a Q&A session is an easy way to answer these questions rather than checking a list of related documents from the web.

8. Abbe, A., Grouin, C., Twig Tree, P. ve Falissard, B.

2015. Text mining in psychiatry: A systematic literature review. *International Journal of Psychiatric Methods Review* 25(2): 86-100. The proliferation of biomedical data requires efficient tools to store more data. Text mining (TM) methods have become important to facilitate the extraction of valuable biomedical information from unrelated text.

We review the use of TM in psychology and explore its advantages and limitations. A literature search was conducted using the CINAHL, Medline, EMBASE, PsycINFO and Cochrane databases. 1103 articles were reviewed for this review, of which 38 were included in the Review of TM Use in Psychiatry. Using WM and content analysis, we identified four main areas of application: (1) Psychopathology (eg.

Clinical studies focus on psychological factors) (2) patient perceptions (eg, patient thoughts and feelings), (3) clinical data (eg, safety concerns, quality of care, and treatment definition), and (4) medical information (eg, , . to. Check the latest research articles in the literature). Useful resources are qualitative research, internet publications, medical records and biomedical records. Our study proves that TMs can contribute to the analysis of complex tasks in psychology. We will discuss their strengths, limitations and future uses of these tools.

Copyright © 2015 John Wiley & Sons, Ltd.
All rights reserved.

9. Barak, A., Boneh, O. thia Dolev-Cohen, M. (2009).

2010. Factors involved in online support groups. A. Blachnio, A. Przepiorka, and T.

Rowinski (eds), 'Internet in psychological analysis, Warsaw, Poland: Cardinal Stefan Wyszyński University Press, ' p. 13-47. Due to the rapid growth of social networking services, online support groups differ in goals and styles. Many studies have shown that online support groups reduce the effectiveness of psychological distress (eg, depression) in individuals with autism.

However, online support groups are not usually aimed at reducing the effects of stress-related outcomes. This study examines whether frequency of use of an online support group platform (U2plus) is associated with lower stigma and increased consumer retention. A total of 350 U2plus users participated in the web survey. They are asked what type of treatment they have had in the past, and they often use all the features of that treatment and answer the following questions: Questions on the Healthy Patient Scale 9, the Discrimination-

Discrimination Scale, and the General Help-Seeking Questionnaire. According to the treatments received, 88% (308/350) 66 of the participants were using psychiatric drugs.

6% (233/350) received psychotherapy or counseling. Looking at the frequency of use, 21.7% (74/341) of the participants logged into U2plus and used its functions more than once a week. Frequency of use of U2plus features was not associated with stigma, but frequency of use of some features was weakly associated with seeking help from resources (eg, doctors and psychiatrists). However, multiple regression analyzes showed that the frequency of use of these activities alone did not predict the need to seek help.

She said online support groups can be an alternative treatment option for people who are already using drugs and are willing to seek help wherever they find it helpful.

Display of Intelligent Behavior by 7. Chatbot system International Journal of New Technology and Review (IJNTR) ISSN: 2454-4116, Vol-3 Issue-4, April 2017 Page 52-54 Interactive software mediates people in natural language. Just like humans use language for human communication, chatbots use natural language to communicate with human users. The main purpose of their creation is to get users to follow the discussion above by trying to make people feel like they're typing.

In this article, we analyze some existing chatbot systems such as ELIZA and ALICE and then conclude that it is easier to create a bot with ALICE due to its simple structure compared to the layer standard as it is correct when creating a bot for ELIZA. . Finally, we discuss our plan. Particularly recommended process is the use of ALICE chatbot system as a private meeting center, student information that helps students with various inquiries about students and universities.

10. International Journal of Innovative Review in Computer Science & Technology (IJIR CST) Volume 6, Issue 3, May 2018 There are command line, graphical user interface (GUI), text display, form-based user interfaces for software applications, natural language, etc.

Common user interfaces include GUIs and web-based interfaces, but sometimes other user interfaces are needed. Chatbot-based conversational UIs fit into this space. Chatbot is a type of robot available on the chat platform. Users can interact with them via graphical interfaces or widgets, and trends are changing in that direction. They mostly provide government services.

to. The application saves data once. On a university website, people often don't know where to find any information. For students or non-employees, getting information can be difficult. The solution to these problems is the school's chatbot, fast, standard and data widget to improve the user experience on the school's website and provide good information to the users.

ool's chatbot, fast, standard and data widget to improve the user experience on the school's website and provide good information to the users.

Chatbots are intelligent tools designed using artificial intelligence (AI) and natural language processing (NLP) algorithms. It has a user-

friendly interface that answers questions about labs, admissions, courses, user engagement and GPA, placements, and other events.

11. International Journal of Computer Science and Engineering Open Access Review Articles Volume 5, Issue 5 E-ISSN: 2347-2693 Do computers have an important role in our lives in this world? Computers give us information; they entertain us and help us in many ways.

Chatbot is a program designed to communicate intelligently based on text or speech. But this form is based on text chatbot. The chatbot recognizes user input and provides pre-approval by accessing data using matching patterns. For example, if a user asks "What's your name?" for the boat. The chatbot usually responds like "My name is Chatbot".

or the chatbot replies, "You can call me as a chatbot," depending on the sentence given by the user. When the entry is created in the database, the user is given a response from the predefined model. The chatbot is used by comparing the patterns, the order of the sentences is recognized and the answers are recorded. These models have been replaced by the phrase Exclusive variants. They are unregistered and cannot answer complex questions and do not work together [1].


Chatbots are a new technology. Chatbot applications can be found in many areas in the future. This article explains the process of creating and using a chatbot. Comparisons are made, findings are discussed, and conclusions are drawn at the end [2]. Chatbots are an easy way to transfer information from a computer without having to think about finding key words in a search or searching various websites.

tes to gather information; users can easily enter their questions in the language and save the information.

This article provides information about chatbot design and usage. As can be seen from the research above, the development and improvement of chatbot design is growing at an incredible rate due to the many methods and applications for creating chatbots. Chatbots are great tools for quickly interacting with users. They help us by having fun, saving time and answering difficult questions. Chatbots should be friendly and chatty.

This may not always be a business idea, as there are many ways to create and implement chatbots. Administrators should be involved and agree on the right way to build a chatbot. In this project, we examine how chatbots are developed and used in various fields. In addition, comparisons were made with other chatbots. A general purpose chatbot should be simple, easy to use, easy to understand and have a good knowledge base.

While some products have appeared recently, development is needed to show a general approach to creating chatbots.



Healthcare spending since 2006 to 2022

III. METHODOLOGY

1. Review questions: Review questions focus on understanding how health risk management is effective in protecting public health

and safety.

2. Literature review: A literature review will be conducted to identify current reviews and literature on health risk management. The literature review will focus on concepts, values, strategies and issues related to health risk management.

The review will also identify the roles and responsibilities of different stakeholders, including governments, businesses, communities and individuals.

3. Design Review: The review design will use a qualitative study method. This approach will allow for an in-depth exploration of health risk management in specific situations. Research papers will focus on various areas such as health, food safety, environmental health, and health and safety.

4. Sampling: Purposive sampling will be used to select participants for the study. Participants will be selected based on their knowledge and skills in health risk management. These structures may include government officials, business representatives, community leaders, and medical professionals.

5. Data collection: Data will be collected through semi-structured interviews and data analysis. Interviews will be held with the selected participants and information will be given including rules, regulations and warnings about health management. Data collection will focus on understanding the use of risk management strategies for health, stress and success.

6. Data Analysis: The collected data will be analyzed using thematic analysis. The data will be copied, coded and organized by topic. This content will be used to identify different trends, challenges and successes in health risk management.

7. Ethical decisions: Ethical decisions will be made with the consent of the participant, ensuring confidentiality and anonymity. The r

review will also comply with ethical guidelines and regulations regarding the review of human subjects.

8. Limitations: Limitations of this study may include sample size and generalization of findings. The information search method may not be suitable for every situation and project.

9. Conclusion: The conclusion section summarizes the research findings and offers recommendations for improving risk management. These recommendations will be based on the challenges and strengths identified in the case study. The results will also identify areas for future health risk management review.

IV. CONCLUSION

In the not-too-distant future, instead of consulting a doctor for diagnosis, you can communicate with an artificial intelligence-supported medical robot via mobile phone, make an order or make an appointment. “Consumers today expect technology to be not only fast, but accessible and intuitive as digital trends continue. We often use smartphones, tablets, and other tools to search for the information we need. Thanks to the latest updates, Get and share information. It's now at your fingertips.

For the past ten years, robots have been performing many of the tasks once done by humans. But now they're used in just about everything from automobile manufacturing to inventory management and invoicing. As the digital age is facing the continuous development of artificial intelligence and neural networks, devices are busy completing human communication.

Chatbots are becoming more common even in healthcare, they are also called medical bot

s! In the not-too-distant future, instead of consulting a doctor for diagnosis, you can contact an artificially intelligent medical robot via mobile phone, make an order or make an appointment. Healthcare faces a huge challenge and demand that you can address when building a chatbot. The role of chatbots in healthcare can be used effectively to help save valuable doctor time by reducing or eliminating unnecessary doctor appointments. With costs increasing day by day, healthcare organizations are looking for ways to reduce costs while improving the patient experience. It goes without saying that the world's shortage of doctors requires us to advance care with technology so that doctors can again focus on patients who need more. Voice chatbots are undoubtedly beneficial for the entire healthcare industry, saving time, effort and cost, but special attention should be paid to efficiency.

A simple mistake in this area can be life-threatening. Adoption of these chatbots is another big event. As consumers, we have to rely on new tools to diagnose health problems. The main topic of this article is to diagnose the symptoms that definitively define the patient's disease based on the symptoms. This feature is designed to assist the user in getting a diagnostic process that can then be discussed with their doctor.

The classification is based on Bayesian algorithms trained with false data produced by the distribution of true symptoms for each disease. There have been in vitro studies and in vivo user studies, both of which yield supportive results. We measured an F1 score of 0.942 on synthetic data and a success rate of 76.

271% for real-world users. Additionally, we note that physi

approved procedures and clinical management are beneficial.

They have been proven to be effective and able to meet the needs of end users.

As a future work, we plan to improve the functionality of the symptom checker by adding information about rare diseases. We will also focus on adding new features such as management of medical information and automatic food and physical activity recommendations based on the user's healthy consumption.

Finally, once a large enough community of HAB users is established, we will conduct more extensive research.

V. REFERENCES

1. Predictive data mining for diagnosis: an overview of cardiovascular disease prediction. International Journal of Computer Applications (2011)
2. UCI Machine Learning Library. Arlington: Association; 2006
3. International Journal of Biomedicine 3:3 2008
4. Next Generation Clinical Decision Support: Linking Evidence to Best Practice. J Health Information Management, 2002; 16:50-5.
5. Kev siv WAP based telemedicine system rau kev saib xyuas tus neeg mob (2003).
- 6 “Dr. Vdoc: A Medical Chatbot Acting as a Virtual Doctor”, Phau ntawv Journal of Medical Technology, Issue 6, Issue 3, 2017
7. A New Approach to Medical Assistance Using Trained Chatbot, International Conference on Heuristic Communication and Information Process Technologies (ICICCT 2017)

- [1] Y. Liu, "An unsupervised learning approach to diagnosing Alzheimer's disease using brain magnetic resonance imaging scans," vol. 173, 2023.
- [2] V. Patil, "Early prediction of Alzheimer's disease using convolutional neural network," vol. 130, 2022.
- [3] R. janghel, "Deep Convolution Neural Network Based System for Early Diagnosis of Alzheimer's Disease," vol. 42, 2021.
- [4] L. Liu, "A new machine learning method for identifying Alzheimer's disease," vol. 19, 2020.
- [5] B. K. S, "Alzheimer's Detection Based on Segmentation of MRI Image," vol. 115, 2017.
- [6] T.Jiang, "Hippocampal Shape Analysis of Alzheimer Disease Based on Machine Learning Methods," 2007.
- [7] P. M. Thompson, "Hippocampal shape analysis in Alzheimer's disease," vol. 36, 2007.
8. "MedChatBot: A UMLS Tabanlı Chatbot ra u Cov Tub Kawm Ntawv Kho Mob", International Journal of Computer Applications (09 75 – 8887) Cilt. 55 – No. 17, Ekim 2016.
9. Designing a Chatbot for Diabetics,” ACM Transactions on Management Information Systems (TMIS), Cilt. 4, Sayı 2, Ağustos 2015.
10. TS EN ISO/IEEE 11073-10201:2004 Health information -

Communication of medical devices -
Part 10201: Registration information standard.

11. ISO/IEEE 11073-

20101: 2004, Health information—Point-of-care medical device communication—
Chapter 20101: Application Profiles—
Basic Standard.

12. "Pharmabot: A Pediatric Generic Medication Consultant Chatbot", April 2015.

13. Agnese Augello, Giovanni Pilato, Alberto Machi' ICAR 2016

14. CNR Institute for Computing and High Performance Networks -

National Research Council Viale delle Scienze, 978-0-7695-4859-

3/12 \$26.00IE © 2012 IT Engineering STMIK AMIKOM Yogyakarta, Yogyakarta, Indonesia, 2166-0670/16 \$31.

00 © 2016 IEEE

16. "Chatbot", Divya Madhu, Neeraj Jain C, International Conference on Inventive Communication and Computing Technologies 2019

17. Shawar BA, Atwell E, "Kev sib piv nta m Alice thiab Elizabeth chatbot systems", University of Leeds , School of Computing Review Report 2002.19

18. [3] Bayan Abu Shawar, Eric Atwell, "ALICE Chatbot: Trials and Outputs," *Computación y Sistemas*, Vol.

19 numara 4 , 2015 , s. 625–632

19. [4] Thomas NT.

, Amrita Vishwa, "E-

Commerce Chatbots Using AIML and LSA", 2016 International. Conference on Advances in Communication, Communication and Information Technology (ICACCI), 21-24 September 2016, Jaipur, India

20. [5] Shawar BA, Atwell E, "A Compare o

f the Alice and Elizabeth chatbot system," Leeds University School of Computer Science Review Report 2002.19

21.

[6] S. Laven (2013), "The Simon Lave Page", <http://www.simonlaven.com>

22. [7] Maryland

Shahriare Satu, Hasnat Parvez, MD, "Review of AIML-

Based Chatbots for Collaborative Applications", 1st International Conference on Computer and Information Engineering, Kasim 2015, Dept. CSE, Rajshahi Mühendislik ve Teknoloji Üniversitesi, Rajshahi, Bangladesh

23. [12] Rushabh Jain, Burhanuddin Lokhandwala, "Android-

Based Chatbots", *International Journal of Computer Applications* (0975 –

8887) Cilt. 137 – 10 Sayı, Mart 2016

24.

Animesh jain¹ Mohan Vishal Gupta² 1 Scholar, FOECS, TMU, Moradabad 2 Yardımcı Doçent, FOECS, TMU, National Conference of Industries 4.0(NCI-4.0)

25.[5]. Zambak, Z.

, & Yanli, W. (2010). As a result of the development of smart technology, human-computer interaction is developing. 2010 International Intelligent System Design and Engineering Application Conference. doi: 10.1109/isdea.2010.17

26. [6]. DeHarrow, L.

F., & Banches, RE (2017). Learn to predict the adequacy of responses in conversational human-agent interactions.

TENCON 2017 -

IEEE Region 10 Conference 2017. doi: 10.1109/tencon.2017.8227907

27.

[7]. Joseph Weizenbaum. ELIZA is a compu

ter program for the study of human-machine communication. *ACM Communications*, 9(1):36-45.

28.

[8]. Richard Wallace. *Become Your Own Bot Master: A step-by-step guide to building, hosting and selling your own AI ChatBot on Pandorabots*. ALICE Artificial Intelligence Foundation, Inc.

29. [9] ib. Intelligent Information Chatbot Ashwini Mahendiran¹, Anbarasi Raman², Dr. Raju R³ ^{1, 2, 3} Department of Information Technology, Sri Manakula Vinayagar Engineering College International Journal of Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC key score: 45.98; SJ impact factor: 6.

887 Vol 6 Issue III, March 2018

30. *Natural Language Engineering* 23(5): 649–685. c Cambridge University Press 2017

31. Abbe, A., Grouin, C.

, Zweigenbaum, P. and Falissard, B. 2015. Mining applications in psychology: A qualitative literature review. *International Journal of Psychiatric Methods Review* 25(2): 86-100.

32.11073-20601-2014/Cor 1-2015 -

IEEE Health information--

Personal health device communication Part 20601: Application profile--

Optimized Exchange Protocol - Revision 1

33. Barak, A., Boneh, O., and Dolev-Cohen, M.

2010. Factors involved in online support groups. A. Blachnio, A. Przepiorka, and T.

Rowinski (eds.), 'Internet in Psychology Review, Warsaw, Poland: Cardinal Stefan Wyszyński University Press, ' p. 13–47.

34. An Intelligent Behavior Demonstrated b

y the Chatbot system *International Journal of New Technology and Review (IJNTR)* ISSN: 2454-4116, Vol-3 Issue-

4, April 2017 Page 52-54

35.

38. A Medical ChatBot *International Journal of Computer Trends and Technology (IJCTT)* – Cilt 60 Sayı 1 - Haziran 2019

39. Chatbot", Divya Madhu, Neeraj Jain C, 2019 *International Conference on Inventing Communication and Computing Technologies* BA.

40. , Atwell E, "Kev sib piv ntawm Alice thiab Elizabeth chatbot system," *School of Computing in Inceleme Raporu*, University of Leeds 2002.19

41.

[3] Ms. AbuShawar, Eric Atwell, "ALICE Chatbot: Experiment and Output", *Computation and Systems*, Vol. 19, No. 4, 2015, p. 625–632

42. [4] Thomas

T., Amrita Vishwa, "E-

Commerce Chatbots Siv AIML thiab LSA," 2016 *International Conference on Advances in Computing, Communication and Informatics (ICACCI)*, 21-

24 July 2016, Jaipur, India

43. [5] Shawar BA, Atwell E, "A comparison of Alice and Elizabeth chatbot systems", *University of Leeds School Computing Review Report* 2002.

19

44. [6] S. Laven (2013), "The Simon Lave Page," available at <http://www.simonlaven.com>

45.

[7] Md. Shahriar Satu, Md. Hasnat Parvez, "A Review of AIML-

Based Chatbots for Integrated Applications", 1st International Conference on Computer and Information Engineering, Kasım 2015, Dept. CSE, Rajshahi University of Engineering and Technology, Rajshahi, Bangladesh

46. [12] Rushabh Jain, Burhanuddin Lokhandwala, "Android-Based Chatbots", International Journal of Computer Applications (0975 – 8887) Cilt. 137 – 1 Numara Bekleniyor 10 Lub Peb Hlis 2016.

47. Animesh Jain¹ Mohan Vishal Gupta² ¹ Scholar, FOECS, TMU, Moradabad ² Yardımcı Doçent, FOECS, TMU, National Conference of Industries 4.0 (NCI-4.0), Moradabad 48444

[5]. Li, Z. and Yanli, W. (2010). As a result of the development of smart technology, the human-computer relationship has developed. 2010 International Intelligent System Design

and Engineering Application Conference. doi: 10.1109/isdea.2010.1749.

[6]. D'Haro, L. F. and Banchs, R. E. (2017). Learn to predict the adequacy of responses in conversational human-agent interactions. TENCON 2017 - IEEE Region 10 Conference 2017. doi: 10.1109/tekang.2017.8227907

50. [7]. Joseph Weizenbaum. ELIZA A computer for studying human-machine communication. ACM Communications, 9(1):36-45.

51. [8]. Richard Wallace. Become Your Own Bot Master: A step-by-step guide to building, hosting and selling your own AI ChatBot on Pandorabots. ALICE Artificial Intelligence Foundation, Inc.