

# Smart Grid For Power Distribution

Mr. Nikhil m

Assistant Professor

Department of Electrical and  
Electronics Engineering  
Acharya Institute of Technology  
Bengaluru, India

[nikhil2864@acharya.ac.in](mailto:nikhil2864@acharya.ac.in)

Suhaas P D

Department of Electrical and  
Electronics Engineering  
Acharya Institute of Technology  
Bengaluru, India

[suhaasp.20.beec@acharya.ac.in](mailto:suhaasp.20.beec@acharya.ac.in)

Akash

Department of Electrical and  
Electronics Engineering  
Acharya Institute of Technology  
Bengaluru, India

[akashr.20.beec@acharya.ac.in](mailto:akashr.20.beec@acharya.ac.in)

Pavan kumar H

Department of Electrical and  
Electronics Engineering  
Acharya Institute of Technology  
Bengaluru, India

[pavavh.21.beec@acharya.ac.in](mailto:pavavh.21.beec@acharya.ac.in)

Shivkumara p

Department of Electrical and  
Electronics Engineering  
Acharya Institute of Technology  
Bengaluru, India

[shivakumarap.20.beec@acharya.ac.in](mailto:shivakumarap.20.beec@acharya.ac.in)

**Abstract**—This paper presents the smart grid for power distribution equipped with advanced features for enhanced user experience. Technological advancements in the energy industry have expedited the growth of the smart grid, necessitating multidisciplinary study in power systems and management. India, the world's third-largest producer and consumer of electricity, has various power-related issues, including significant transmission and distribution losses, electricity theft, and environmental concerns.

As a result of these issues, the energy industry is exploring new technologies to improve the grid's efficiency, sustainability, and security. This study tries to uncover elements that might be facilitators for India's smart grid development. To analyse the various components of the smart grid, questionnaire surveys, interviews, and workshops were conducted with eminent academicians, researchers, and industry experts working in the power sector.

An integrated approach of soft system methodology (SSM), thematic analysis and fuzzy cognitive mapping have been used in this study to better comprehend the intricate interactions between stakeholders. This research findings reveal that technical development along with consumer acceptance is a crucial factor for the efficacious implementation of smart grid.

Growth of population and the inception of new devices every day comes with an incessant rise in energy consumption and has brought great challenges in terms of energy management at the consumer side. With the evolution of technology, smart meters(SMs) are not only considered merely a stools to measure energy consumption but act as a main resource of energy management systems. The application of SM spans over a wide range of advantages, including accurate billing data, information of utilization at the user end, the establishment of two-way communication and remote control of the user equipment.

The STM32 microcontroller orchestrates the seamless interaction between the various components, ensuring smooth operation and reliable performance. Advanced algorithms are employed to optimize dispensing accuracy and speed, enhancing overall efficiency.

Experimental results demonstrate the effectiveness and reliability of the proposed system, showcasing its potential for a wide range of applications including retail, hospitality, and healthcare sectors. The integration of cutting-edge technologies and intuitive design elements makes this smart dispensing machine a valuable asset in modern automated environments.

**Keywords**— *Current Sensor integration, Thin Film Transistor Display, solar charge module, STM32 controller, 4 and 1 Channel Relay.*

## I. INTRODUCTION

A Smart grid or an electric grid (EG) is an interconnected infrastructure that supplies electricity to consumers from producers. The traditional electric grid (TEG) was established over 100 years with no significant improvements in its fundamental infrastructure, despite the fact that electricity usage and its need has increased substantially since last few decades that necessitates effective management and control of electricity consumption as well as production on the larger scale. In 2021, worldwide energy demand increased by 4.6% as compared to last year, i.e., 2020. With the increase in electricity demand the associated challenges in the EG, such as load shedding, frequent power outages and environment vulnerabilities, have also multiplied.

These issues are exacerbated especially in the developing countries, where there is a significant imbalance between energy demand and generation, as well as a rise in energy loss because of 15262 management, e.g., energy demand of India has increased significantly over the last few years and continues to rise. By 2030, the overall electricity demand is estimated to be 115,000MW, whereas, the generation

capacity has not kept pace with growing demand in recent years, leading to severe energy shortages. The average electricity short fall in Pakistan is around 6500MW and is expected to worsen in the upcoming years. Moreover, there are significant operational inefficiencies within the system; electricity theft is common in most regions of the electrical distribution network, and average line losses account for 18.7% of the total generation in the country .

As are made to the aforementioned challenges, substantial transformation in TEG is required. Smart grid (SG) is a technological development of a TEG in terms of addressing the future energy demands. [1]The SG facilitates real time (RT) surveillance of the EG by using digital technologies, advanced two-way communication to determine and respond to variations in electricity consumption in order to revolutionize the power distribution, transmission and generation components of a TEG. The basic architecture of SG along with its functionalities are presented in figure 1 whereas figure 2 differentiates TEG from SG in terms of their various domains. The primary concept of SG initiated from the objective of advanced metering infrastructure (AMI) that includes demand side management (DSM) as a significant contributor to enhance the Energy Efficiency (EE).

## II. PRINCIPLE

A smart grid for power distribution employs advanced technology to optimize the generation, transmission, and distribution of electricity. Its principle revolves around enhancing reliability, efficiency, and sustainability while accommodating the increasing integration of renewable energy sources and accommodating the evolving needs of consumers. Here's an overview of the principles behind a smart grid:

**Advanced Metering Infrastructure (AMI):** Smart grids utilize smart meters that provide real-time data on energy consumption. This enables utilities to better understand usage patterns, identify inefficiencies, and offer flexible pricing options to consumers.

**Two-Way Communication:** Smart grids facilitate two-way communication between the utility and consumers. This enables utilities to remotely manage and control devices on the grid, such as smart appliances, electric vehicle chargers, and distributed energy resources (DERs) like solar panels and batteries.

**Grid Automation and Control:** Automation plays a key role in smart grids, allowing for real-time monitoring and control of grid operations. Automated systems can quickly detect and respond to faults, reroute power to minimize disruptions, and optimize energy flow to reduce losses.

**Integration of Renewable Energy:** Smart grids are designed to accommodate the intermittent nature of renewable energy sources like solar and wind. [2]Advanced forecasting techniques help utilities anticipate fluctuations in generation, while grid-scale energy storage systems can store excess renewable energy for use during periods of high demand.

**Distributed Energy Resources (DERs):** Smart grids integrate DERs into the grid infrastructure, allowing consumers to generate their own electricity and feed excess power back into the grid. This includes rooftop solar panels, small-scale wind turbines, and energy storage systems.

**Demand Response Programs:** Smart grids enable demand response programs that incentivize consumers to adjust their electricity usage in response to price signals or grid conditions. This helps utilities balance supply and demand, reduce peak load, and avoid costly infrastructure upgrades.

**Data Analytics and Predictive Maintenance:** By analyzing vast amounts of data collected from smart meters, sensors, and other grid devices, utilities can identify trends, predict equipment failures, and optimize maintenance schedules. This proactive approach reduces downtime and extends the lifespan of grid infrastructure.

## III. SOLUTIONS

**Advanced Metering Infrastructure (AMI):** Smart Meters: Provide real-time data on electricity usage, enabling dynamic pricing and better demand management. **Communication Networks:** Facilitate two-way communication between utilities and consumers.

**Distribution Automation (DA):** Automated Switches: Enable quick isolation and restoration of faulted sections, reducing outage times. [6]**Remote Monitoring and Control:** Allows utilities to manage the grid more effectively.

**Energy Management Systems (EMS):** Demand Response Programs: Encourage consumers to reduce or shift their electricity use during peak periods. **Home Energy Management Systems (HEMS):** Help consumers optimize their energy consumption through smart devices and applications.

**Renewable Energy Integration:** Distributed Energy Resources (DERs): Facilitate the integration of solar panels, wind turbines, and energy storage systems. **Microgrids:** Enable localized power generation and distribution, enhancing resilience.

**Data Analytics and Machine Learning:** Predictive Maintenance: Use of sensors and data analytics to predict equipment failures before they occur. **Load Forecasting:** Enhances the ability to predict and manage electricity demand.

**Cybersecurity: Robust Security Measures:** Protect the grid from cyber-attacks, ensuring the integrity and reliability of the power supply.

**Enhanced Reliability and Resilience:** Reduced Outage Duration: Automated fault detection and self-healing capabilities minimize downtime. **Resilience to Natural Disasters:** Microgrids and decentralized generation improve the grid's ability to withstand disruptions.

#### IV. BLOCK DIAGRAM




Fig. 1. Block Diagram

**A SMART GRID FOR POWER DISTRIBUTION** typically consists of several interconnected components working together to efficiently manage and distribute electricity. Here's a simplified block diagram explaining its key elements:

**Power Generation:** Electricity is generated from various sources such as fossil fuels, renewable energy (solar, wind, hydro), and nuclear power plants.

**Transmission Lines:** [9] High-voltage transmission lines transport electricity over long distance from power plants to substations.

**Substations:** These facilities step down the voltage of electricity from transmission lines to Distribution levels suitable for local consumption.

**Distribution Lines:** Lower-voltage distribution lines carry electricity from substations to Neighborhoods and individual consumers.

**Smart Meters:** Installed at consumer premises, smart meters measure energy usage and provide realtime data to both consumers and utility companies.

**Communication Infrastructure:** This includes networks (wired or wireless) that facilitate Communication between various components of the smart grid, such as smart meters, substations, and control centers.

**Data Management System:** Collects, processes, and analyzes data from smart meters and other grid components to optimize energy distribution, detect faults, and forecast demand.

**Control Center:** The nerve center of the smart grid, where operators monitor the grid's performance in real-time, manage energy flow, respond to emergencies, and implement strategies for efficiency and reliability.

**Distributed Energy Resources (DERs):** These can include small-scale renewable energy systems like solar panels, wind turbines, and energy storage devices. They can feed surplus electricity into the grid or store it for later use.

**Advanced Sensors and Automation:** Deployed throughout the grid, sensors detect changes in voltage,

current, and other parameters, allowing for quick identification and response to fault or abnormalities.

**Demand Response Systems:** Enable utilities to adjust electricity consumption during peak hours by incentivizing consumers to reduce or shift their usage through pricing signals or automated control systems.

**Cybersecurity Measures:** Protect the smart grid from cyber threats and ensure the integrity, confidentiality, and availability of critical infrastructure and data. These components work together to create a dynamic, responsive, and efficient electricity distribution system capable of meeting the demands of modern society while integrating renewable energy source and maximizing reliability and resilience.

#### V. WORKING

A smart grid for power distribution operates by integrating advanced technologies and communication systems into the traditional electrical grid, thereby enhancing the efficiency, reliability, and sustainability of electricity distribution. Unlike conventional grids, which primarily rely on one-way communication from the power plants to the consumers, smart grids employ a bidirectional flow of information and power; this enables real-time monitoring and management of energy resources.

At the core of a smart grid's functionality lies a network of sensors, meters, and automated control devices, collectively known as smart devices, which are distributed throughout the grid infrastructure; these devices constantly gather data on various parameters such as voltage, current, and frequency, as well as environmental conditions, thereby providing a comprehensive and dynamic picture of the grid's status. [13] This wealth of data is transmitted through communication networks, often leveraging Internet of Things (IoT) technology, to central control systems that utilize sophisticated algorithms and artificial intelligence to analyze the information and make real-time decisions.

One of the key features of a smart grid is its ability to facilitate demand response, which refers to the adjustments in electricity usage by end consumers in response to supply conditions, such as peak demand periods or sudden shortages; this is achieved through advanced metering infrastructure (AMI) that enables real-time pricing and provides consumers with detailed insights into their energy consumption patterns, thereby encouraging more efficient usage.

Additionally, smart grids support the integration of distributed energy resources (DERs), such as solar panels, wind turbines, and energy storage systems, which can be seamlessly incorporated into the grid; this decentralization not only enhances the resilience of the power supply but also reduces the reliance on fossil fuels, promoting a cleaner and more sustainable energy

landscape.

Furthermore, smart grids enhance the reliability and resilience of power distribution through automated fault detection and self-healing capabilities; in the event of a disruption or failure, the system can quickly isolate the affected sections and reroute power through alternative pathways, minimizing downtime and reducing the impact on consumers. This is facilitated by technologies such as synchrophasors, which provide real-time monitoring of the grid's electrical waves, and dynamic line rating, which adjusts the capacity of transmission lines based on current conditions.

In summary, the implementation of smart grid technology represents a significant evolution in the way electrical power is distributed and managed, combining the principles of automation, communication, and real-time data analysis to create a more efficient, reliable, and environmentally friendly energy system. [4]As the world continues to embrace renewable energy sources and digital transformation, the smart grid stands as a pivotal innovation, driving the modernization of power distribution networks and paving the way for a sustainable energy future.

## SPECIFICATION

Nominal voltage

12V

Number of cells 6


Length (mm/inch) 151/5.94

Width (mm/inch) 65/2.56


Height (mm/inch) 65/2.56

Total Height (mm/inch) 99/3.90

Approx. Weight (kg/lbs) 2.12/4.67



**Fig 2 : Top view**



**Fig 3 : Full view**

Implementing a smart grid for power distribution typically results in improved efficiency, reliability, and sustainability. It enables better integration of renewable energy sources, reduces energy losses during transmission and distribution, enables real-time monitoring and control of the grid, and facilitates demand response programs to manage peak loads more effectively. Overall, it leads to a more resilient and adaptable energy infrastructure.

## ADVANTAGES

A smart grid for power distribution offers numerous advantages that enhance the efficiency, reliability, and sustainability of electricity delivery. By integrating advanced communication and control technologies, smart grids enable real-time monitoring and management of power flows, which reduces energy losses and improves fault detection and resolution. This leads to fewer and shorter outages, ensuring a more reliable power supply for consumers. Additionally, smart grids facilitate the integration of renewable energy sources, such as solar and wind, by managing the variable nature of these power inputs more effectively.

They also support demand response programs, where consumers can adjust their energy usage during peak times in response to price signals, ultimately leading to cost savings and reduced strain on the grid. [8]Furthermore, smart grids empower consumers with detailed usage information and control over their energy consumption, fostering more sustainable energy practices. Overall, the deployment of smart grid technology represents a significant step towards a more resilient, efficient, and eco-friendly energy infrastructure.

## APPLICATIONS

A smart grid for power distribution applications represents a transformative approach to electricity delivery, leveraging

advanced technology to enhance the efficiency, reliability, and sustainability of energy systems. By integrating digital communication, automation, and real-time data analytics,

smart grids enable dynamic management of electricity flow from generation to end users. These grids incorporate renewable energy sources, such as solar and wind, seamlessly into the power network, promoting a greener energy mix.

Additionally, they facilitate demand response strategies, allowing utilities and consumers to optimize energy consumption during peak and off-peak hours, thus reducing costs and strain on the grid. [11]Enhanced monitoring and predictive maintenance capabilities minimize outages and improve fault detection, ensuring a more resilient infrastructure. Overall, smart grids represent a crucial step towards a more intelligent, adaptable, and sustainable power distribution system, meeting the evolving needs of modern societies.

### Smart Grids in Power Distribution: Enhancing Efficiency, Reliability, and Sustainability

The transition from traditional power grids to smart grids represents a transformative leap in the management and distribution of electricity. Traditional power grids operate on a centralized model where electricity flows in a one-way path from power plants to consumers. In contrast, smart grids integrate advanced technologies, two-way communication, and real-time data analytics to create a more efficient, reliable, and sustainable electricity distribution system.

#### 1. Evolution of Power Grids

The traditional power grid infrastructure, designed over a century ago, primarily serves to deliver electricity generated at large central plants through a network of transmission and distribution lines to end-users. This linear model has several limitations, including vulnerability to outages, inefficiencies in energy usage, and limited integration of renewable energy sources. As demand for electricity continues to rise and the need for sustainable energy solutions becomes more pressing, the limitations of the traditional grid become increasingly apparent.

#### 2. Components and Functionality of Smart Grids

Smart grids incorporate several key components that differentiate them from traditional grids. **Advanced Metering Infrastructure (AMI):** Smart meters replace traditional meters, enabling two-way communication between utilities and consumers. This allows for real-time monitoring of electricity usage, dynamic pricing, and better demand response. **Sensors and Automated Controls:** Distributed sensors and automated control systems monitor the grid's health, detect faults, and automatically reroute power to minimize outages and ensure a stable supply.

**Distributed Energy Resources (DERs):** Smart grids facilitate the integration of various DERs, including solar panels, wind turbines, and energy storage systems. This not only diversifies the energy mix but also enhances grid resilience and sustainability. **Communication Networks:** Robust communication networks are the backbone of smart grids,

enabling seamless data exchange between different components of the grid, utilities, and consumers. **Data Analytics and Artificial Intelligence:** The vast amount of data collected by smart grids is analyzed using sophisticated algorithms and AI to predict demand patterns, optimize energy distribution, and improve decision-making processes.

#### 3. Benefits of Smart Grids

The implementation of smart grids brings numerous benefits across different dimensions: **Efficiency and Cost Savings:** By optimizing energy distribution and reducing wastage, smart grids enhance overall efficiency. Real-time data allows utilities to manage peak loads effectively, reducing the need for expensive peaking power plants and lowering operational costs. **Reliability and Resilience:** Smart grids are designed to be more resilient to disruptions. Automated fault detection and self-healing capabilities minimize the duration and impact of outages. Additionally, the ability to integrate DERs ensures a more stable and reliable energy supply even in the face of centralized grid failures.

**Environmental Sustainability:** Smart grids facilitate the integration of renewable energy sources, which are crucial for reducing greenhouse gas emissions. [12]By enabling more efficient energy usage and reducing reliance on fossil fuels, smart grids play a significant role in mitigating climate change. **Consumer Empowerment:** Advanced metering and real-time data empower consumers to make informed decisions about their energy consumption. Dynamic pricing models can incentivize consumers to reduce usage during peak periods, leading to cost savings and a more balanced demand-supply equation. **Support for Electric Vehicles (EVs):** The rise of EVs poses new challenges and opportunities for the grid. Smart grids can manage the increased load from EV charging, enable vehicle-to-grid (V2G) technologies, and support the development of a cleaner transportation system.

#### 4. Challenges and Considerations

Despite the numerous advantages, the transition to smart grids also presents several challenges: **Cybersecurity:** The increased connectivity and reliance on digital technologies make smart grids vulnerable to cyber-attacks. Ensuring robust cybersecurity measures is paramount to protect critical infrastructure and maintain grid integrity. **Data Privacy:** The vast amount of data collected by smart grids raises concerns about consumer privacy. It is essential to establish clear regulations and safeguards to protect personal information while leveraging data for grid optimization.

**Investment and Infrastructure Upgrades:** Transitioning to a smart grid requires significant investment in new technologies, infrastructure upgrades, and workforce training. Utilities and policymakers must collaborate to secure the necessary funding and create favorable regulatory environments. **Interoperability:** Ensuring that different components of the smart grid can communicate and work together seamlessly is crucial. This requires the development of industry standards and protocols to facilitate interoperability between devices and systems from various manufacturers.

#### 5. Future Prospects and Innovations

The future of smart grids is marked by ongoing innovations

and developments aimed at further enhancing their capabilities: Artificial Intelligence and Machine Learning: AI and machine learning will play an increasingly critical role in optimizing grid operations, predicting failures, and managing DERs more effectively. Blockchain Technology: Blockchain can enhance the security and transparency of transactions within the smart grid, particularly for peer-to-peer energy trading and ensuring the integrity of data.

Microgrids: The development of microgrids, which can operate independently or in conjunction with the main grid, offers increased resilience and flexibility. Microgrids are particularly valuable in remote or disaster-prone areas. Energy Storage: Advances in energy storage technologies, such as batteries and supercapacitors, will improve the ability to store and dispatch renewable energy, making the grid more adaptable to fluctuations in supply and demand. Smart Cities Integration: Smart grids are integral to the development of smart cities, where integrated systems for energy, transportation, water, and waste management create more sustainable and efficient urban environments.

### Conclusion

The shift towards smart grids represents a critical evolution in the way electricity is distributed and managed. By integrating advanced technologies, real-time data analytics, and renewable energy sources, smart grids promise to create a more efficient, reliable, and sustainable energy future. While challenges such as cybersecurity, data privacy, and infrastructure investment need to be addressed, the potential benefits of smart grids make them a vital component of modern energy systems. As technology continues to advance, smart grids will undoubtedly play a central role in meeting the growing global demand for electricity while supporting environmental sustainability and economic growth.

### REFERENCES

[1] M. S. Saleh, A. Althaibani, Y. Esa, Y. Mhandi, and A. A. Mohamed, Impact of clustering microgrids on their stability and resilience during blackouts, in Proc. Int. Conf. Smart Grid Clean Energy Technol. (ICS GCE), Oct. 2015, pp. 195200, doi: 10.1109/ICSGCE.2015.7454295.

[2] G. Dileep, A survey on smart grid technologies and applications, *Renew. Energy*, vol. 146, pp. 25892625, Feb. 2020, doi: 10.1016/j.renene.2019.08.092.

[3] M. Faheem, S. B. H. Shah, R. A. Butt, B. Raza, M. Anwar, M. W. Ashraf, M. A. Ngadi, and V. C. Gungor, Smart grid communication and information technologies in the perspective of industry 4.0: Opportunities and challenges, *Comput. Sci. Rev.*, vol. 30, pp. 130, Nov. 2018, doi: 10.1016/j.cosrev.2018.08.001.

[4] F. Yanine, A. Sánchez-Squella, A. Barrueto, A. Parejo, F. Cordova, and H. Rother, Grid-tied distributed generation systems to sustain the smart grid transformation: Tariff analysis and generation sharing, *Energies*, vol. 13, no. 5, p. 1187, Mar. 2020, doi: 10.3390/en13051187.

[5] V. P. Singh, N. Kishor, and P. Samuel, Distributed multi-agent system based load frequency control for multi-area power system in smart grid, *IEEE Trans. Ind. Electron.*, vol. 64, no. 6, pp. 51515160, Jun. 2017, doi: 10.1109/TIE.2017.2668983.

[6] T. Ahmad, H. Chen, J. Wang, and Y. Guo, Review of various modeling techniques for the detection of electricity theft in smart grid environment, *Renew. Sustain.*

*Energy Rev.*, vol. 82, pp. 29162933, Feb. 2018, doi: 10.1016/j.rser.2017.10.040.

[7] L. Tronchin, M. Manfren, and B. Nastasi, Energy efficiency, demand side management and energy storage technologies A critical analysis of possible paths of integration in the built environment, *Renew. Sustain. Energy Rev.*, vol. 95, pp. 341353, Nov. 2018, doi: 10.1016/j.rser.2018.06.060.

[8] T. Logenthiran, D. Srinivasan, and T. Z. Shun, Demand side management in smartgrid using heuristic optimization, *IEEE Trans. Smart Grid*, vol. 3, no. 3, pp. 12441252, Sep. 2012, doi: 10.1109/TSG.2012.2195686.

[9] N. Javaid, S. Javaid, W. Abdul, I. Ahmed, A. Almogren, A. Alamri, and I. Niaz, A hybrid genetic wind driven heuristic optimization algorithm for demand side management in smart grid, *Energies*, vol. 10, no. 3, p. 319, Mar. 2017, doi: 10.3390/en10030319.

[10] P. Samadi, H. Mohsenian-Rad, R. Schober, and V. W. S. Wong, Advanced demand side management for the future smart grid using mechanism design, *IEEE Trans. Smart Grid*, vol. 3, no. 3, pp. 11701180, Sep. 2012, doi: 10.1109/TSG.2012.2203341.

[11] A. Pitù, G. Verticale, C. Rottondi, A. Capone, and L. Lo Schiavo, The role of smart meters in enabling real-time energy services for house holds: The Italian case, *Energies*, vol. 10, no. 2, p. 199, Feb. 2017, doi: 10.3390/en10020199.

[12] C. Kang, Y. Wang, Y. Xue, G. Mu, and R. Liao, Big data analytics in Chinas electric power industry: Modern information, communication technologies, and millions of smart meters, *IEEE Power Energy Mag.*, vol. 16, no. 3, pp. 5465, May 2018, doi: 10.1109/MPE.2018.2790819.

[13] G. R. Barai, S. Krishnan, and B. Venkatesh, Smart metering and functionalities of smart meters in smart grid A review, in Proc. IEEE Electr. Power Energy Conf. (EPEC), Oct. 2015, pp. 138145, doi: 10.1109/EPEC.2015.7379940.

[14] M. Pau, E. Patti, L. Barbierato, A. Estebarsari, E. Pons, F. Ponci, and A. Monti, Design and accuracy analysis of multilevel state estimation based on smart metering infrastructure, *IEEE Trans. Instrum. Meas.*, vol. 68, no. 11, pp. 43004312, Nov. 2019, doi: 10.1109/TIM.2018.2890399.

[15] M. U. Saleem et al.: Design, Implementation, and Deployment of IoT Based Smart Energy Management System

[15] D. Marikyan, S. Papagiannidis, and E. Alamanos, A systematic review of the smart home literature: A user perspective, *Technolog. Forecast ing Social Change*, vol. 138, pp. 139154, Jan. 2019, doi: 10.1016/j.techfore.2018.08.015.

[16] I. A. Sajjad, M. Manganelli, L. Martirano, R. Napoli, G. Chicco, and G. Parise, Net-metering benefits for residential customers: The economic advantages of a proposed user-centric model in Italy, *IEEE Ind. Appl. Mag.*, vol. 24, no. 4, pp. 3949, Jul. 2018, doi: 10.1109/MIAS.2017.2740459.

[17] S. S. Reka and T. Dragicevic, Future effectual role of energy delivery: A comprehensive review of Internet of Things and smart grid, *Renew. Sustain. Energy Rev.*, vol. 91, pp. 90108, Aug. 2018, doi: 10.1016/j.rser.2018.03.089.

[18] S. Chakraborty and S. Das, Application of smart meters in high impedance fault detection on distribution systems, *IEEE Trans. Smart Grid*, vol. 10, no. 3, pp. 34653473, May 2019, doi: 10.1109/TSG.2018.2828414.